

# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-1,5

GTIN: 4030281249917

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 0.31 kg

Gross weight: 0.31 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
Fallindicator:	No
Colour:	Black
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	31.50 kN
Minimum temperature:	-35 °C

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------

# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-2

GTIN: 4030281253457

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 0.38 kg

Gross weight: 0.38 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
--------------------	---------

Fallindicator:	No
----------------	----

Colour:	Black
---------	-------

Hand wash:	40 °C
------------	-------

Maximum lifetime:	10 years
-------------------	----------

Maximum temperature:	45 °C
----------------------	-------

Minimum tensile strength:	31.50 kN
---------------------------	----------

Minimum temperature:	-35 °C
----------------------	--------

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------

# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-3

GTIN: 4030281266846

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 0.50 kg

Gross weight: 0.50 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
Fallindicator:	No
Colour:	Black
Hand wash:	40 °C
Maximum lifetime:	10 years
Maximum temperature:	45 °C
Minimum tensile strength:	31.50 kN
Minimum temperature:	-35 °C

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------

# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-5

GTIN: 4030281288558

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 0.74 kg

Gross weight: 0.74 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
--------------------	---------

Fallindicator:	No
----------------	----

Colour:	Black
---------	-------

Hand wash:	40 °C
------------	-------

Maximum lifetime:	10 years
-------------------	----------

Maximum temperature:	45 °C
----------------------	-------

Minimum tensile strength:	31.50 kN
---------------------------	----------

Minimum temperature:	-35 °C
----------------------	--------

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------



# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-7,5

GTIN: 4030281011408

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 0.76 kg

Gross weight: 0.76 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
--------------------	---------

Fallindicator:	No
----------------	----

Colour:	Black
---------	-------

Hand wash:	40 °C
------------	-------

Maximum lifetime:	10 years
-------------------	----------

Maximum temperature:	45 °C
----------------------	-------

Minimum tensile strength:	31.50 kN
---------------------------	----------

Minimum temperature:	-35 °C
----------------------	--------

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------

# DATASHEET

## ROPE FOR LORY PRO



### GENERAL

Art.Nr: L-0688-10

GTIN: 4030281011057

E-class number: 40-02-01-90

Customs tariff  
number: 56090000

Net weight: 1.01 kg

Gross weight: 1.01 kg

# DATASHEET

## ROPE FOR LORY PRO

The ROPE FOR LORY PRO with RESISTOR carabiner serves as a rope for the SET LORY PRO. As soon as the rope of your SET LORY PRO needs to be replaced, you can use this as a spare part. No tools are needed for the replacement.

### FEATURES

Application areas:	Various
--------------------	---------

Fallindicator:	No
----------------	----

Colour:	Black
---------	-------

Hand wash:	40 °C
------------	-------

Maximum lifetime:	10 years
-------------------	----------

Maximum temperature:	45 °C
----------------------	-------

Minimum tensile strength:	31.50 kN
---------------------------	----------

Minimum temperature:	-35 °C
----------------------	--------

### DIMENSIONS

Lanyard rope diameter:	10.50 mm
------------------------	----------

### MATERIAL

Material:	Polyamide, Aluminium
-----------	----------------------