

Data sheet

Rope for Lory X



GENERAL

Art. no.:	L-0768-1,5	E-class number:	40-02-01-90
EAN:	4030281295419	Customs no.:	56090000
Standard:	EN 358:2018		

Data sheet

Rope for Lory X

Replacement rope for LORY X. To replace a worn LORY X rope when the LORY device is still intact, all that's needed is a size 2 Allan wrench.

FEATURES

Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 60 °C to -20 °C

DIMENSIONS

Size:	1,5
-------	-----

MATERIAL

Material:	Polyamide, ALU
-----------	----------------

Data sheet

Rope for Lory X



GENERAL

Art. no.:	L-0768-2	E-class number:	40-02-01-90
EAN:	4030281295426	Customs no.:	56090000
Standard:	EN 358:2018		

Data sheet

Rope for Lory X

Replacement rope for LORY X. To replace a worn LORY X rope when the LORY device is still intact, all that's needed is a size 2 Allan wrench.

FEATURES

Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 60 °C to -20 °C

DIMENSIONS

Size:	2m
-------	----

MATERIAL

Material:	Polyamide, ALU
-----------	----------------

Data sheet

Rope for Lory X



GENERAL

Art. no.: L-0768-3

EAN: 4030281295433

Standard: EN 358:2018

E-class number: 40-02-01-90

Customs no.: 56090000

Data sheet

Rope for Lory X

Replacement rope for LORY X. To replace a worn LORY X rope when the LORY device is still intact, all that's needed is a size 2 Allan wrench.

FEATURES

Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 60 °C to -20 °C

DIMENSIONS

Size:	3m
-------	----

MATERIAL

Material:	Polyamide, ALU
-----------	----------------

Data sheet

Rope for Lory X



GENERAL

Art. no.:	L-0768-5	E-class number:	40-02-01-90
EAN:	4030281295440	Customs no.:	56090000
Standard:	EN 358:2018		

Data sheet

Rope for Lory X

Replacement rope for LORY X. To replace a worn LORY X rope when the LORY device is still intact, all that's needed is a size 2 Allan wrench.

FEATURES

Diameter:	11,00 mm
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 60 °C to -20 °C

DIMENSIONS

Size:	5m
Weight:	0,63 kg

MATERIAL

Material:	Polyamide, ALU
-----------	----------------